

# Soil Map Legend

Carson City Area, Nevada

Map Symbol	Soil Name
1	Aldax-indiano association
2	Aldax variant-rock outcrop complex, 30 to 50 percent slopes
3	Arkson-rock outcrop complex, 30 to 50 percent slopes
4	Bishop loam, saline
5	Cagle-nosrac association
6	Cagwin gravelly sand, 15 to 30 percent slopes
7	Cagwin-toem complex, 30 to 75 percent slopes
8	Corbett gravelly sand, 8 to 15 percent slopes
9	Corbett gravelly sand, 30 to 50 percent slopes
10	Corbett-toiyabe association
11	Cradlebaugh loam, strongly saline-alkali
12	Dalzell fine sandy loam, deep water table
13	Dalzell variant fine sandy loam, 0 to 4 percent slopes
14	Deven-rock outcrop complex, 4 to 15 percent slopes
15	Deven-rock outcrop complex, 15 to 50 percent slopes
17	Glenbrook gravelly loamy coarse sand, 4 to 8 percent slopes
18	Glenbrook-rock outcrop complex, 8 to 30 percent slopes
19	Glenbrook-rock outcrop complex, 30 to 50 percent slopes
20	Glenbrook-rock outcrop complex, 50 to 75 percent slopes
21	Greenbrae gravelly sandy loam, 4 to 8 percent slopes
22	Greenbrae fine sandy loam, 0 to 2 percent slopes
23	Haybourne sand, 0 to 4 percent slopes
24	Haybourne sand, 8 to 15 percent slopes
25	Haybourne sandy loam, 0 to 2 percent slopes
26	Haybourne sandy loam, 4 to 8 percent slopes
27	Haybourne gravelly sandy loam, 2 to 4 percent slopes
28	Histic haplaquolls, nearly level
29	Hocar-rock outcrop complex, 15 to 50 percent slopes
30	Hocar-rock outcrop complex, 15 to 30 percent slopes, eroded
31	Holbrook gravelly fine sandy loam, 4 to 8 percent slopes
32	Holbrook very stony fine sandy loam, 4 to 15 percent slopes
33	Holbrook variant-rock outcrop complex, 30 to 75 percent slopes
34	Incy fine sand, 4 to 30 percent slopes
35	Indiano variant gravelly fine sandy loam, 4 to 15 percent slopes
36	Jubilee coarse sandy loam, 0 to 2 percent slopes
37	Jubilee sandy loam, 2 to 4 percent slopes
38	Kimmerling silty clay loam
40	Koontz-sutro complex, 15 to 30 percent slopes
41	Koontz-sutro complex, 30 to 50 percent slopes
42	Koontz-sutro variant association, moderately steep
43	Koontz-sutro variant association, steep
45	Mottsville loamy coarse sand, 2 to 4 percent slopes
46	Old camp-holbrook variant association
47	Old camp-rock outcrop complex, 8 to 15 percent slopes
48	Old camp-rubble land complex, 15 to 30 percent slopes
49	Oppio-nosrac association
50	Orizaba loam, saline-alkali
51	Prey gravelly loamy sand, 0 to 4 percent slopes
52	Prey fine sandy loam, gravelly substratum, 4 to 8 percent slopes
53	Prey gravelly fine sandy loam, gravelly substratum, 8 to 15 percent slopes

Distribution Generation Date:

Page 1 of 3

## Soil Map Legend - Continued

Carson City Area, Nevada

Map Symbol	Soil Name
54	Reno cobbly fine sandy loam, 4 to 8 percent slopes
55	Reno gravelly clay loam, 0 to 4 percent slopes
56	Rock outcrop-aldax variant complex, 50 to 75 percent slopes
57	Sagouspe sand
58	Surprise coarse sandy loam, 2 to 4 percent slopes
59	Surprise coarse sandy loam, 4 to 8 percent slopes
60	Surprise sandy loam, 8 to 15 percent slopes
61	Surprise gravelly sandy loam, 0 to 2 percent slopes
62	Tarloc gravelly coarse sandy loam, 4 to 8 percent slopes
63	Tarloc-glenbrook association
66	Toem-rock outcrop complex, 50 to 75 percent slopes
67	Toiyabe-corbett complex, 30 to 50 percent slopes
68	Toiyabe-rock outcrop complex, 30 to 50 percent slopes
69	Toiyabe-rock outcrop complex, 50 to 75 percent slopes
70	Toll gravelly loamy sand, 0 to 15 percent slopes
71	Urban land
72	Ursine variant very gravelly fine sandy loam, 8 to 15 percent slopes
73	Vamp fine sandy loam, drained
74	Vamp fine sandy loam, slightly saline-alkali
75	Vicee-aldax variant complex, 30 to 50 percent slopes
76	Vicee-aldax variant complex, 50 to 75 percent slopes
77	Voltaire silty clay loam, saline
78	Xerta-rock outcrop complex, 4 to 30 percent slopes
80	Cagle, moist-nosrac association
81	Cagle-oppio-tristan association
82	Corbett gravelly sand, 15 to 30 percent slopes
83	Devada-koontz association
84	Devada-koontz association, moderately steep
85	Devada-rock outcrop association
86	Devada-rock outcrop complex, 4 to 15 percent slopes
87	Eastval gravelly sandy loam, 2 to 8 percent slopes
88	Erastra-eaglerock association
89	Glenbrook complex, 8 to 30 percent slopes
90	Godecke fine sandy loam, 0 to 2 percent slopes
91	Graylock-temo-rock outcrop complex, 30 to 70 percent slopes
92	Indian creek very cobbly loam, 2 to 8 percent slopes
93	Indiano-nosrac-old camp association
94	Kimmerling clay loam
95	Koontz-sutro-nosrac association
96	Koontz-tristan-devada association
97	Leviathan stony sandy loam, 15 to 30 percent slopes
98	Oppio-nosrac, moist association
99	Reno cobbly sandy loam, 4 to 15 percent slopes
100	Roloc-graufels-glenbrook association
103	Saralegui sand, 2 to 8 percent slopes
104	Springmeyer gravelly fine sandy loam, 4 to 15 percent slopes
105	Springmeyer gravelly loam, 2 to 8 percent slopes
106	Temo-witefels-rock outcrop association
107	Toiyabe, bouldery-rock outcrop complex, 50 to 70 percent slopes
108	Toll sand, 0 to 4 percent slopes

Distribution Generation Date:

Page 2 of 3

Soil Map Legend - Continued

Carson City Area, Nevada

Map Symbol	Soil Name
109	Toll sand, 4 to 15 percent slopes
110	Uhaldi stony loam, 2 to 8 percent slopes
111	Voltaire silty clay
113	Voltaire silty clay loam, wet, strongly saline-alkali
114	Water